



TERMOFIN F

MATERIALI ECOLOGICI PER L'EDILIZIA

Colored finish made up of slaked lime and fine hemp powder

Data sheet

Container: 16 kg.

Composition of the product:

Lime putty, thin hemp and other insulating materials.

Dilution: Bicomponent.

Remove the divider inside the container, empty the hemp bag into the coloured mixture and mix everything energetically with a mixer, until you get a homogeneous dough. If the mixture is still too thick, just add some water to make a workable mixture.

Features: Thermic and acoustic improvement.

Breathability.

Diluent: Water.

Estimated consumption: 2 Kg./mq. in two coats, depending on the absorption of the wall.

Usage: inside/outside

Background preparation: Termofin F is used for the realization of finishes in lime putty on both interior and external walls. For a better breathability, we recommend to use the plaster Copemalt. In case the product is to be spread on a pre existing plaster, we recommend to spread our Ecogras skim coat on the surface which need to be treated to have a better uniformity and breathability.

The surface of the wall must be completely clean, without any trace of dust, dirt, oil, fat or wax, which should be removed by brushing or sanding. The product has to be laid at ambient temperature, between + 5 ° C and +30 ° C, with no wind and no exposition to the sun, otherwise the product needs to be wet and protect by sunscreening towels..

Application: Spread Termofin F with a stainless steel trowel in two coats, with a theoretical yield of about 2 kg /sqm., depending on the absorption of the wall. The product need to be spread, being careful that, between the two application, the underlying layer is kept wet.

Storage: The material is preserved for 12 months from the date of production, in sealed containers, provided that they are not exposed to frost or heat sources. The applicator must not modify the product, in that case ET Events & Technologies S.r.l.s assumes no responsibility.



H318 Causes serious eye damage
H315 Causes skin irritation
H335 May cause respiratory irritation

P280 We recommend to wear gloves and protective clothing and to protect your eyes and face.
P301+P330+P331 IN CASE OF INGESTION: rinse your mouth. DO NOT cause vomit.
P305+P351+P338 IN CASE OF CONTACT WITH EYES: rinse accurately for several minutes. Remove the lenses if necessary and keep on rinsing.



UNI EN 998-1:2010

ET Events & Technologies s.r.l.s. - Via Circonvallazione 22, Cassolnovo (PV) - Tel.0381 090518 - www.etgc.it